

Package: pkgdepR (via r-universe)

October 12, 2024

Type Package

Title Statically Determine Function Dependencies Between Packages

Version 1.0.0

Maintainer Ed Peyton <edppeyton@gmail.com>

Description Statically determine and visualize the function dependencies within and across packages. This may be useful for managing function dependencies across a code base of multiple R packages.

License MIT + file LICENSE

URL <https://pkgdepR.org/>

BugReports <https://github.com/edpeyton/pkgdepR/issues>

Encoding UTF-8

RoxygenNote 7.1.1

Imports visNetwork, dplyr, magrittr, viridisLite, scales, utils

Repository <https://edpeyton.r-universe.dev>

RemoteUrl <https://github.com/edpeyton/pkgdepr>

RemoteRef HEAD

RemoteSha a23386622eb8e0ca7469162a8c3a080be7bf054a

Contents

all_info_ns	2
deps	2
get_functions	3
is.pkgdepR	3
ls_namespace_info	4
plot.pkgdepR	4
print.pkgdepR	5
summary.pkgdepR	6
%>%	6

Index	7
--------------	----------

all_info_ns	<i>Get all information on a namespace</i>
-------------	---

Description

Get all information on a namespace

Usage

```
all_info_ns(ns)
```

Arguments

ns A character representing the namespace to explore.

Value

A named list.

deps	<i>Get environment dependency object</i>
------	--

Description

This function creates an object of class `pkgdepR`, representing the network of function calls between one or more packages.

Usage

```
deps(pkg, exported_only = FALSE)
```

Arguments

pkg A character vector of the environments to explore. Should be on the [search](#) path. Cannot be base.

exported_only Boolean. Whether to include non-exported functions.

Details

An object of class `pkgdepR` is a list with three named objects:

- `funs`: a data frame describing the functions. Contains columns `id`, `label`, `package`, `exported`, `group`, and `name`.
- `links`: a data frame containing the linkages between functions. Contains columns `from` and `to`.
- `pkg`: a character vector containing the packages explored.

Value

An object of class pkgdepR.

Examples

```
library(pkgdepR)
deps(pkg = "pkgdepR")
```

get_functions	<i>Get functions from namespace</i>
---------------	-------------------------------------

Description

Get functions from namespace

Usage

```
get_functions(ns)
```

Arguments

ns A character representing the namespace to explore.

Value

A character vector of function names.

is.pkgdepR	<i>pkgdepR object</i>
------------	-----------------------

Description

An internal generic function. Methods for is.pkgdepR should only return TRUE if the class is pkgdepR.

Usage

```
is.pkgdepR(x)
```

Arguments

x Object to be tested.

Value

Boolean. TRUE when x is of class pkgdepR.

ls_namespace_info	<i>Get namespace information</i>
-------------------	----------------------------------

Description

Get namespace information

Usage

```
ls_namespace_info(ns, ...)
```

Arguments

ns	A character representing the namespace to explore.
...	Other arguments passed to ls .

Value

A character vector of the names to search for a given namespace.

plot.pkgdepR	<i>Visualizing package dependencies</i>
--------------	---

Description

This function is a simple wrapper for plotting a network visualization using [visNetwork](#).

Usage

```
## S3 method for class 'pkgdepR'  
plot(  
  x,  
  width = NULL,  
  height = NULL,  
  main = NULL,  
  submain = NULL,  
  alpha = 0.8,  
  ...  
)
```

Arguments

x	An object of class pkgdepR.
width	The width of the vis.js render.
height	The height of the vis.js render.
main	The title. To remove the title, pass <code>list(text = NULL)</code> .
submain	The subtitle. To remove the subtitle, pass <code>list(text = NULL)</code> .
alpha	A transparency value to use for colors. Must be between 0 and 1.
...	Other arguments passed onto visNetwork and viridis .

Value

An object of classes `visNetwork` and `htmlwidget`.

Examples

```
library(pkgdepR)
deps(pkg = "pkgdepR") %>% plot(option = "E", direction = -1)
deps(pkg = "pkgdepR") %>% plot(option = "D", alpha = 0.5, main = list(text = NULL))
deps(pkg = "pkgdepR") %>%
  plot(option = "D", alpha = 0.8, main = list(text = NULL)) %>%
  visNetwork::visInteraction(dragNodes = FALSE)
```

print.pkgdepR	<i>Print pkgdepR object</i>
---------------	-----------------------------

Description

Print pkgdepR object

Usage

```
## S3 method for class 'pkgdepR'
print(x, ...)
```

Arguments

x	An object of class pkgdepR.
...	Redundant argument for consistency with method.

Value

No return value.

summary.pkgdepR	<i>Summarise pkgdepR object</i>
-----------------	---------------------------------

Description

Summarise pkgdepR object

Usage

```
## S3 method for class 'pkgdepR'  
summary(object, ...)
```

Arguments

object	An object of class pkgdepR.
...	Redundant argument for consistency with method.

Value

No return value.

%>%	<i>Imported magrittr forward-pipe operator</i>
-----	--

Description

Imported from [magrittr](#).

Index

`%>%`, 6

`all_info_ns`, 2

`deps`, 2

`get_functions`, 3

`is.pkgdepR`, 3

`ls`, 4

`ls_namespace_info`, 4

`magrittr`, 6

`plot.pkgdepR`, 4

`print.pkgdepR`, 5

`search`, 2

`summary.pkgdepR`, 6

`viridis`, 5

`visNetwork`, 4, 5